

# COVID-19 Vaccine Recommendations

## Administration of Primary Series and Booster Doses for **Healthy** Adults and Adolescents

Date: March 31, 2022



	Dose 1		Dose 2		Booster 1		Booster 2
<b>Pfizer</b> (gray or purple cap)  Ages 12 and older	0.3 mL	Wait 3 – 8 weeks 	0.3 mL	Wait 5 months 	Pfizer: 0.3 mL OR Moderna: 0.25 mL OR J&J: 0.5 mL	Wait 4 months  Eligible Patients: - Everyone ages 50 years and older - Everyone ages 12 years and older who are moderately to severely immunocompromised	Pfizer: 0.3 mL OR Moderna: 0.25 mL
<b>Moderna</b> (red cap)  Ages 18 and older	0.5 mL	Wait 4 – 8 weeks 	0.5 mL	Wait 5 months 	Pfizer: 0.3 mL OR Moderna: 0.25 mL OR J&J: 0.5 mL	Wait 4 months  Eligible Patients: - Everyone ages 50 years and older - Everyone ages 18 years and older who are moderately to severely immunocompromised	Pfizer: 0.3 mL OR Moderna: 0.25 mL
<b>J &amp; J</b>  Ages 18 and older	0.5 mL	Wait 2 months 			Pfizer: 0.3 mL OR Moderna: 0.25 mL OR J&J: 0.5 mL	Wait 4 months  Eligible Patients: - Everyone ages 50 years and older - Everyone ages 18 years and older who are moderately to severely immunocompromised - Everyone ages 18–49 years who received 2 previous doses of J&J	Pfizer: 0.3 mL OR Moderna: 0.25 mL

**NOTE: Pfizer and Moderna are preferred over J&J for primary series and booster doses.**