

# COVID-19 Vaccine Recommendations

Healthy Teens and Adults: Ages 12 years and older

Date: September 15, 2023



## Ages: 12 years and older

COVID-19 Vaccine History				ADDITIONAL DOSES
<b>Pfizer</b> Cap: Gray Age: 12 years and older	Unvaccinated		Pfizer: 0.3 mL OR Moderna: 0.5 mL	None recommended
	1 or more doses any mRNA	Wait 8 weeks	Pfizer: 0.3 mL OR Moderna: 0.5 mL	None recommended
	1 or more doses Novavax, J&J, including in combination with any mRNA vaccine dose(s)	Wait 8 weeks	Pfizer: 0.3 mL OR Moderna: 0.5 mL	None recommended
<b>Moderna</b> Cap: Dark Blue Label: Blue Age: 12 years and older				

\*Heterologous mRNA products **may** be used for updated vaccines for this age group. Mixing and matching Pfizer and Moderna **is** authorized.

### NOVAVAX

Updated Novavax has not yet been approved by FDA. Current CDC/ACIP recommendations allow administration of original Novavax as follows:

- A 2-dose primary series to people ages 12 and older. The primary series is separated by 3-8 weeks.
- Novavax may be used as a booster dose in limited situations. Patients must meet ALL of the following criteria to be eligible: 1) 18 years and older 2) completed a primary vaccination using any FDA-approved or FDA-authorized COVID-19 vaccine, 3) have not received any previous booster dose(s), and 4) are unable (i.e., mRNA vaccine contraindicated or not available) or unwilling to receive an mRNA vaccine and would otherwise not receive a booster dose.
  - The Novavax monovalent booster dose is administered at least 6 months after completion of any primary series.